

Product Highlights

Operated by two people. It can safely lift you up to a height of up to 18 meters.

The Mantall CMP series uses a high-strength aluminum alloy mast and a lifting chain with ten times the load-bearing capacity, making the equipment safer and more stable. The high-strength and high-quality steel base can be used safely even in harsh working environments.

The wide working platform allows you to carry tools more conveniently and has more room for activities.

Mantall also provides you with a dual control system, which you can easily operate whether it is on the ground or on the platform basket.

Only Mantall can provide you with such a humanized aerial work platform.



Standard Features

| | |
|---|--------------------------|
| Polyurethane non-mark tires | Lower beeper warning |
| Forklift pockets | Emergency Lower Down |
| Foldable inclined ladder | Maintenance-free battery |
| Two controls: platform control and ground control | |


Options Features

| | |
|------------------------|----------------------------|
| Working Flashing light | Auxiliary drive wheel |
| Tool Box | Top Stop Sensor |
| DC power | Equipment protection cover |



CMP SERIES
CMP-14CT
DOUBLE MASTS AERIAL WORK PLATFORM

| Model | CMP14CT | |
|-----------------------------|---------------------|------------------------|
| Dimension | Metric | Imperial |
| Lift Capacity kg | 200kg | 441lb |
| Working height m (H1) | 14m | 45ft 11in |
| Platform height m (H2) | 12m | 39ft 4in |
| Overall length m (E) | 1.81m | 5ft 11in |
| Width m (F) | 0.81m | 2ft 8in |
| Height m (D) | 2.08m | 6ft 10in |
| Outrigger expansion m (I*K) | 2.45m/2.34m | 8ft1in/7ft8in |
| Platform size m (B*C*A) | 1.44m*0.6m*1.1m | 4ft 9in*1ft12in*3ft7in |
| Min. ground clearance | 0.07 | 2.76in |
| Power unit (AC) | 220V/1.5KW | 220V/1.5KW |
| Power unit (DC) | 12VDC/1.6KW | 12VDC/1.6KW |
| Battery | 12V/120Ah | 12V/120Ah |
| Charger | 12V/15A | 12V/15A |
| Caster (front wheels) | 8in | 8in |
| Caster (rear wheels) | 6in | 6in |
| Weight kg | 844kg(AC)/880kg(DC) | 1860lb(AC)/1940lb(DC) |



The images in this manual are for illustration only, and all copyrights belong to our company. Due to continuous technological updates, product parameters may change without prior notice.



Mantall
美通重工

CMP-14

Mantall
HT390RT

