

## Product Highlights

Operated by two people. It can safely lift you up to a height of up to 18 meters.

The Mantall CMP series uses a high-strength aluminum alloy mast and a lifting chain with ten times the load-bearing capacity, making the equipment safer and more stable. The high-strength and high-quality steel base can be used safely even in harsh working environments.

The wide working platform allows you to carry tools more conveniently and has more room for activities.

Mantall also provides you with a dual control system, which you can easily operate whether it is on the ground or on the platform basket.

Only Mantall can provide you with such a humanized aerial work platform.



### Standard Features

Polyurethane non-mark tires	Lower beeper warning
Forklift pockets	Emergency Lower Down
Foldable inclined ladder	Maintenance-free battery
Two controls: platform control and ground control	


### Options Features

Working Flashing light	Auxiliary drive wheel
Tool Box	Top Stop Sensor
DC power	Equipment protection cover



**CMP SERIES**  
**CMP-16CT**  
**DOUBLE MASTS AERIAL WORK PLATFORM**

Model	CMP16CT	
Dimension	Metric	Imperial
Lift Capacity kg	150kg	331lb
Working height m (H1)	16m	52ft 6in
Platform height m (H2)	14m	45ft 11in
Overall length m (E)	1.81m	5ft 11in
Width m (F)	0.81m	2ft 8in
Height m (D)	2.36m	7ft 9in
Outrigger expansion m (I*K)	2.45m/2.34m	8ft1in/7ft8in
Platform size m (B*C*A)	1.44m*0.6m*1.1m	4ft 9in*1ft12in*3ft7in
Min. ground clearance	0.07	2.76in
Power unit (AC)	220V/1.5KW	220V/1.5KW
Power unit (DC)	12VDC/1.6KW	12VDC/1.6KW
Battery	12V/120Ah	12V/120Ah
Charger	12V/15A	12V/15A
Caster (front wheels)	8in	8in
Caster (rear wheels)	6in	6in
Weight kg	909kg(AC)/940kg(DC)	1994lb(AC)/2072lb(DC)



The images in this manual are for illustration only, and all copyrights belong to our company. Due to continuous technological updates, product parameters may change without prior notice.

